


8	7	6	5	4	3	2	1		
program #	op	machine	\$ EACH Qty. 2		REVISIONS				
.		lathe			ZONE	REV.	DESCRIPTION	DATE	APPROVED
						A	UPDATED TOLERANCING	2/8/2010	DC

8	7	6	5	4	3	2	1	
				\$ EACH Qty. 2		REVISIONS		
ZONE	REV.	DESCRIPTION	DATE	APPROVED				
	A	UPDATED TOLERANCING	2/8/2010	DC				



NOTE: DIMENSIONS ARE TYPICAL ON BOTH ENDS OF THE PART. FOR OUT OF ROUND TUBES, ENDS MUST BE BORED TO DIMENSION SHOWN.

- NOTES:**
- BREAK AND DEBURR ALL EDGES .25mm MAX.
 - CLEAN PART FOR USE IN A VACUUM ENVIRONMENT.
 - PACKAGE PART TO PROTECT FROM DAMAGE AND TO ENSURE CLEANLINESS.

UNLESS OTHERWISE SPECIFIED:		SPUTTERING COMPONENTS, INC. 5625 BRISA STREET SUITE A LIVERMORE, CA 94550			
X = ± 1 .X = ± .5 .XX = ± .25 .XXX = ± .125 INTERPRET GEOMETRIC TOLERANCING PER: WEIGHT DRAWN BY					
DO NOT SCALE DRAWING		SCI METRIC TARGET FOR CANTILEVER			
SIZE	DATE DRAWN	DWG. NO.	SCALE	REV	
B	9/29/09	SCTC	1:2	A	
MATERIAL: VARIES		FINISH:		SHEET 1 OF 1	